



Global Impact of Biotech Crops: economic and environmental effects 1996-2018

**Graham Brookes
PG Economics Ltd
UK**



Background

- 14th annual review of global GM crop impacts
- Authors of more than 30 papers on GM crop impacts in peer review journals
 - ▶ Current review in 2 open access papers in journal GM Crops.
<https://www.tandfonline.com/doi/full/10.1080/21645698.2020.1779574>
 - ▶ <https://www.tandfonline.com/doi/full/10.1080/21645698.2020.1773198>
- Full report available at www.pgeconomics.co.uk



Coverage

- Cumulative impact: 1996-2018
- Farm income and productivity impacts: focuses on farm income, yield, production
- Environmental impact analysis covering pesticide spray changes and associated environmental impact
- Environmental impact analysis: greenhouse gas emissions




Methodology

- Review and use of considerable impact literature plus own analysis – a lot of this is in peer reviewed journals
- Uses current prices, exchange rates and yields (for each year) and update of key costs each year: gives dynamic element to analysis
- Review of pesticide usage (volumes used) or typical GM versus conventional treatments
- Use of Environmental Impact Quotient (EIQ) indicator
- Review of literature on carbon impacts – fuel changes and soil carbon


Summary of key findings

**Pesticide
change 1996-2018**



**776 million kg
reduction in
pesticides
(8.6%) & 19%
cut in
associated
environmental
impact**

**Global farm income
1996-2018**



**\$225 billion
increase**

**Global production
1996-2018**



**824 million
tonnes more
food/feed/fibre**

Carbon emission 2018




**cut of 23 billion kg
CO2 release;
equal to taking
15.3 million cars
off the road**




Farm income gains: highlights

- Total farm income benefit 2018 \$19 billion
- Equal to adding 5.8% to value of global production of corn, canola, cotton and soybeans
- Total farm income gain: 1996-2018: \$225 billion
- Average gain/hectare (1996-2018): \$97
- Income share (1996-2018): 48% developed and 52% developing countries


Average farm income gain 1996-2018 by country (\$/ha)



Farm income gains 1996-2018 by country (US \$)



Other farm level benefits



GM HT crops	GM IR crops
Increased management flexibility/convenience	Production risk management tool
Facilitation of no till practices	Machinery and energy cost savings
Cleaner crops = lower harvest cost and quality bonus	Yield gains for non GM crops (reduced general pest levels)
	Convenience benefit
	Improved crop quality
	Improved health and safety for farmers/workers

In US these benefits valued at \$17 billion 1996-2018

Cost of accessing the technology (\$billion) 2018

- Distribution of total trait benefit: all (tech cost 27%) – every \$1 invested in seed = \$3.75 in extra income
- Distribution of benefit: developing countries (tech cost 23%) every \$1 invested in seed = \$4.42 in extra income

Cost of tech goes to seed supply chain (sellers of seed to farmers, seed multipliers, plant breeders, distributors & tech providers)






Yield gains versus cost savings


- 72% (\$162 billion) of total farm income gain due to yield gains 1996-2018
- Remaining gains (\$63 billion) from cost savings
- Yield gains mainly from GM IR technology (70%) and cost savings mainly from GM HT technology (90%)
- Yield gains greatest in developing countries and cost savings mainly in developed countries

IR corn: average yield increase 1996-2018




Average across all countries:
+16.5%

IR cotton: average yield increase 1996-2018




Average across all countries:
+13.7%

IR soybeans: average yield increase 2013-2018




Average across all countries:
+9.5%


HT traits: yield and production effects



Trait/country	Yield/production effect
HT soy: Romania, Mexico and Bolivia	+23%, +5% and +15% respectively on yield
HT soy: 2 nd generation: US and Canada	+9.3% yield
HT soy Argentina and Paraguay	Facilitation of 2 nd crop soy after wheat: equal to +23% and +15% respectively to production level
HT corn: Argentina, Brazil, Philippines and Vietnam	+10%, +3.7%, 5.3% and +5% respectively on yield
HT cotton: Mexico, Colombia and Brazil	+13%, +3.6% and +1.6% respectively on yield
HT canola: US, Canada and Australia	+2.1%, +6.5% and +9.5% respectively on yield

Additional crop production arising from positive yield effects of biotech traits 1996-2018 (million tonnes)





Additional conventional area required if biotech not used (m ha)

	2018
Soybeans	12.3
Maize	8.1
Cotton	3.1
Canola	0.7
Total	24.2 equal to 38% of cropping area of Brazil

Focus on India: IR cotton

Issue	Impact
Introduction	2002
% of crop using technology (2018)	95%
Yield impact	+29%
Average farm income gain (\$/ha)	193.56
Average return on investment - \$/ha extra income per extra \$1 spent on seed	12.95
Total farm income gain \$ billion(2002-2018)	24.31
Production impact 2002-2018 (million tonnes lint)	14.73

Source: Brookes and Barfoot 2020

Focus on Vietnam: stacked corn

Issue	Impact
Introduction	2015
% of crop using technology (2019)	10.2%
Yield impact	+15.2% to +30.4%
Average farm income gain (\$/ha)	195.67 to 329.75
Average return on investment - \$/ha extra income per extra \$1 spent on seed	6.84 to 12.55
Total farm income gain \$ million(2015-2019)	+43.8 to +74.1
Production impact 2015-2019 (million tonnes)	+0.16 to +0.32

Source: Brookes and Dinh 2020, Brookes and Barfoot 2020
Note: analysis to 2019 included based on Brookes and Dinh 2020



Impact on pesticide use

- Since 1996, use of pesticides down by 776 million kg (-8.6%, equivalent to 1.6 times annual pesticide active ingredient use on crops in China). Associated environmental impact (EIQ indicator) -19%
- Largest environmental gains from GM IR cotton: savings of 331 million kg insecticide use (-32%) and 35% reduction in associated environmental impact (EIQ measure) of insecticides
- Of which environmental gains from GM IR cotton in India: savings of 137 million kg insecticide use (34%) and 43% reduction in associated environmental impact (EIQ measure) of insecticides

Impact on greenhouse gas emissions



Lower GHG emissions:

2 main sources:

- Reduced fuel use (less spraying and soil cultivation)
- GM HT crops facilitate no till systems = less soil preparation = additional soil carbon storage

Reduced GHG emissions: 2018

- Reduced fuel use (less spraying and tillage) = 2.4 billion kg less carbon dioxide
- Facilitation of no/low till systems = 20.6 billion kg of carbon dioxide not released into atmosphere
- Total 23 billion kg

Equivalent to removing 15.3 million cars — 48% of cars registered in the United Kingdom — from the road for one year





Any negatives?


- ▶ Over reliance on glyphosate by some farmers in North/South America (with HT crops) contributed to weed resistance problems – farmers had to adapt and change weed control systems resulting in increased herbicide use and higher cost compared to 15 years ago

BUT:

- ▶ *Weed resistance problems and increased herbicide use also a trend in conventional crops*
- ▶ *Environmental profile of herbicides used with HT crops remains better than equivalent on conventional crops*
- ▶ *HT crops remain more profitable than conventional alternative*


Summary of key global findings

**Pesticide
change 1996-2018**



**776 million kg
reduction in
pesticides
(8.6%) & 19%
cut in
associated
environmental
impact**

**Global farm income
1996-2018**




**\$225 billion
increase**

**Global production
1996-2018**



**824 million
tonnes more
food/feed/fibre**

Carbon emission 2018



**cut of 23 billion kg
CO2 release;
equal to taking
15.3 million cars
off the road**



Concluding comments

- **GM IR technology:** higher yields, less production risk, decreased insecticide use, higher incomes, more reliable food supply, more environmentally-friendly farming methods
- **GM HT technology:** higher incomes, extra production, facilitation of adoption of more sustainable farming systems (eg, no till), carbon emission savings
- **Both technologies:** important contributions to increasing world production of soybeans, corn, canola and cotton – results in less pressure to bring new land into agriculture
- **Newer traits:** drought tolerant (corn), fungal resistant potatoes and insect resistant (brinjal) now beginning to contribute positively

Concluding comments

- After 23 years of widespread use – there is a considerable amount of **consistent** evidence in peer reviewed literature on the impact of GM crop technology
- This work adds to this literature
- Papers from this work available on open access at GM Food and Crops journal.

<https://www.tandfonline.com/doi/full/10.1080/21645698.2020.1779574>

<https://www.tandfonline.com/doi/full/10.1080/21645698.2020.1773198>

<https://www.tandfonline.com/doi/full/10.1080/21645698.2020.1816800>

- I encourage you to read these papers and references cited in them and draw your own conclusions